



Page: 1

Compilation date: 15/01/2013

Revision date: 27/05/2016

Revision No: 3

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: BARIUM STANDARD SOLUTION 10000PPM

Product code: 21312

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals.

# 1.3. Details of the supplier of the safety data sheet

Company name: EDT directION Limited

Unit 5 Waldershare Park Estate

Eythorne Dover

Kent, UK, CT15 5DQ

Tel: 01304829960 Email: Info@edt.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 (0)1304829960

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

# 2.2. Label elements

Label elements: This product has no label elements.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **Hazardous ingredients:**

# 21312 BARIUM STANDARD SOLUTION 10000PPM

Page: 2

#### **BARIUM CHLORIDE DIHYDRATE**

EINECS	CAS	PBT / WEL	CLP Classification	Percent
233-788-1	10326-27-9	-	Acute Tox. 3: H301; Acute Tox. 4: H332	1-10%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Supply fresh air; consult doctor in case of

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No specific symptoms noted.Eye contact: No specific symptoms noted.Ingestion: No specific symptoms noted.Inhalation: No specific symptoms noted.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide.

Water spray. Alcohol resistant foam. Dry chemical powder. Use water spray to cool

containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: The product itself does not burn. Hazardous combustion products may include:

Hydrogen chloride gas. Barium oxide.

# 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

# 21312 BARIUM STANDARD SOLUTION 10000PPM

Page: 3

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: PPE To be worn. See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

**Hazardous ingredients:** 

# **BARIUM CHLORIDE DIHYDRATE**

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.5 mg/m3	-	-	-

# **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of work day.

Respiratory protection: Respiratory protection not required.

**Hand protection:** Protective gloves. Glove material: Nitrile. Layer thickness:0.15mm. Breakthrough

time:>480min. The selected protective gloves have to satisfy the specifications of EU

Directive 89/686/EEC and the standard EN 374 derived from it.

**Eye protection:** Safety glasses. Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure eye

bath is to hand.

**Skin protection:** Wear appropriate clothing to prevent any possibility of skin contact.

# 21312 BARIUM STANDARD SOLUTION 10000PPM

Page: 4

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Colourless

**Odour:** Odourless

Boiling point/range°C: Approx. 100

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: No data available.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: Does not decompose when used for intended uses.

## **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Hazardous ingredients:**

#### **BARIUM CHLORIDE DIHYDRATE**

Introporitoncol	MUS	LD50	E1	malka
Intraperitoneal	INIUS	LD30	31	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

Skin contact: No specific symptoms noted.

Eye contact: No specific symptoms noted.

Ingestion: No specific symptoms noted.

Inhalation: No specific symptoms noted.

# 21312 BARIUM STANDARD SOLUTION 10000PPM

Page: 5

## **Section 12: Ecological information**

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Recommendation: Disposal must be made according to official regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: H301: Toxic if swallowed.

H332: Harmful if inhaled.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

# MATERIAL SAFETY DATA SHEET 21312 BARIUM STANDARD SOLUTION 10000PPM

Page: 6

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.